

Wells Detected PFAS Compounds	Sample Location:	Well 1	Well 2- Kerry and Rib Mountain Met	Well 3	Well 4	Well 5	Well 6
	Sample Date:	4/11/2022	4/11/2022	4/11/2022	4/11/2022	4/11/2022	4/11/2022
COMBINED PFOA, PFOS, NtEtFOSE, NtEtFOSAA, NtEtFOSA, FOSA CALC	20	7.89	5.69	10.87	7.24	10.32	1.44
HAZARD INDEX CALC	1	0.598722711	0.350242556	0.702374267	0.457254911	0.6292268	0.072106422
Compound	<i>Rec. Enforcement Std (ng/L)</i>						
PFBA	10,000	3.11	2.29	2.97		2.02	1.03
PFPeA		1.63	1.33	7.95		1.59	
PFHxA	150,000	2.29	1.33	4.69		1.42	
PFHpA		1.2		1.21			
PFOA	20	5.18	3.02	1.65		3.32	
PFNA	30	1.84					
PFDA	300						
PFUnA	3,000						
PFDoA	500						
PFTriA							
PFTeA	10,000						
PFBS	450,000	28.4	2.11	20.7	2.21	6.9	1.54
PFPeS							
PFHxS	40	5.7	2.62	6.34	3.81	4.52	
PFHpS							
PFOS	20	2.71	2.67	7.74	7.24	5.05	
PFNS							
PFDS							
PFDoS							
4:2 FTSA							
6:2 FTSA							
8:2 FTSA							
FOSA	20			1.48		1.95	1.44
NMeFOSA							
NtEtFOSA	20						
NMeFOSAA							
NtEtFOSAA	20						
NMeFOSE							
NtEtFOSE	20						
HFPO-DA/ (GenX)	300						
DONA (4,8-Dioxa-3H-perfluorononanoic acid)	3,000						
9Cl-PF3ONS							
11Cl-PF3OUdS							
PFODA* Not samples as part of Northern Lakes Perfluorooctadecanoic acid	400,000						
PFTrDA* (not part of northern lakes)							
PFHxDA* (not part of northern lakes)							
10:2 FTS* (not part of northern lakes)							
COMBINED PFOA, PFOS, NtEtFOSE, NtEtFOSAA, NtEtFOSA, FOSA CALC	20	7.89	5.69	10.87	7.24	10.32	1.44
HAZARD INDEX CALC	1	0.598722711	0.350242556	0.702374267	0.457254911	0.6292268	0.072106422
	Wells or Wells Running to system?			730 gpm	840 gpm		